










































descuelgues · moulinettes · lowering/belay with carabiners

			∅		USO-USAGE-USE					CONFORMITY ONLY $\varnothing 12$
REF 	REF 	ANCLAJES AMARRAGES ANCHORS	10	12						
006m			ok	ok	ok	ok		15	25	EN-959
	736 036		ok	ok	ok	ok		15	25	EN-959
605m			ok	ok	ok	ok		15	25	EN-959 EN-12572
	603		ok	ok	ok	ok		15	25	EN-959 EN-12572
	744 035			ok	ok	ok	ok	15	25	EN-959
	737 325		ok	ok	ok	ok		15	25	EN-959
















descuelgues · moulinettes · lowering/belay with carabiners

			∅		USO-USAGE-USE					
REF	REF	ANCLAJES AMARRAGES ANCHORS	10	12						CONFORMITY ONLY $\varnothing 12$
	738 363		ok	ok	ok	ok		15	25	EN-795 EN-959 EN-12572
604m			ok	ok	ok	ok		15	25	EN-959 EN-12572
	404		ok	ok	ok	ok		15	25	EN-959 EN-12572
	393			ok	ok	ok	ok	15	25	EN-959
	739 044		ok	ok	ok x2	ok x2		15	25	EN-959
	212			ok	ok x2	ok x2	ok x2	30	30	EN-959

descuelgues · moulinettes · lowering/belay with carabiners

USO – USAGE – USE											
REF	REF	ANCLAJES AMARRAGES ANCHORS	 S	 N							
006m			ok					552		ok	
	736 036		ok	ok				552		ok	
605m			ok				ok	716	ok	ok	ok
	603		ok	ok			ok	712	ok	ok	ok
	744 035		ok	ok				644		ok	
	737 325		ok	ok				610		ok	

descuelgues · moulinettes · lowering/belay with carabiners

USO – USAGE – USE											
REF	REF	ANCLAJES AMARRAGES ANCHORS	 S	 N							
	738 363		ok	ok			ok	770	ok	ok	ok
604m			ok				ok	770	ok	ok	ok
	404		ok	ok			ok	610	ok	ok	ok
	393		ok	ok			ok	700		ok	
	739 044		ok x2	ok x2			ok x2	316		ok x2	
	212		ok x2	ok x2			ok x2	360		ok x2	

descuelgues · moulinettes · lowering/belay with carabiners

uso correcto-utilisation correcte-correct use

REF	REF	ANCLAJES AMARRAGES ANCHORS
006m	036	
605m	603 736	
	325	
	744 035	
	737 404 325	
	393	
604m	738 363	
	739 044 212	

ok

máx 7cm

20 cm
mín

ok

top-rope

mín
R+30 CM










oil #225

1+1

lubricación
lubrication
lubrification

ok

descuelgues · moulinettes · lowering/belay with carabiners

REF 	REF 	ANCLAJES AMARRAGES ANCHORS
006m	036	
605m	603 736	
	325	
	744 035	
	737 404 325	
	393	
604m	738 363	
	739 044 212	

PELIGRO-DANGER

